

Creaset Litho (North America)

Description:

One-side coated gloss paper for standard or wraparound labels. Specifically designed for the North American market

End uses:

Labels for 1-way bottles, Wraparound labels

Print methods:

Conventional offset, UV offset, Flexo solvent-based, Flexo water-based, Flexo UV, Rotogravure solvent-based, Rotogravure water-based, Inkjet UV, Inkjet water-based

Certificates:

- [PEFC Chain of Custody \(multisite\)](#)
- [FSC Chain of Custody \(multisite\)](#)
- [REACH regulation Lecta](#)
- [ISO 14001 Environment](#)
- [EMAS Motril mill](#)
- [ISO 50001 Energy Efficiency](#)
- [Paper Profile Creaset - Motril](#)
- [ISO 9001 Quality](#)
- [ISO 45001 Health and Safety - Lecta](#)
- [FSSC 22000 Food Safety - Motril](#)

For further details regarding compliance with food contact regulation, please contact our sales teams.

Creaset Litho (North America)

Technical specifications

Property	Test Method	Unit	Tolerance	89
Substance (g/m ²)	ISO 536 TAPPI T410	g/m ²	±4%	89
Substance (lb.)	ISO 536 TAPPI T410	lb. (500-25x38 in)	±4%	60#
Thickness (µm)	ISO 534 TAPPI T411	µm	±4%	79
Thickness (pt.)	ISO 534 TAPPI T411	pt.	±4%	3.1
Paper gloss	ISO 8254-1 TAPPI T480	%	±5	68
Bekk smoothness (coated side)	ISO 5627 TAPPI T475	s	-150	750
Cobb (uncoated side)	ISO 535 TAPPI T441	g/m ²	±4	25
Relative humidity	TAPPI T502	%	±5	45
Taber stiffness MD	ISO 2493 TAPPI T489	gf*cm	-25%	1.6
Taber stiffness CD	ISO 2493 TAPPI T489	gf*cm	-25%	0.75

Values are subject to change without notice.

Last update: 04/15/2026